



BEDMINSTER DOWN SCHOOL

Positive Mental Health Guidance

For review every two years by SLT, led by the Assistant Principal (Student Support)

Approved by SLT

Date of last review: March 2019

Date of next review: March 2021

1. Principles

Mental health is a state of well-being in which every individual realises his or her own potential, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to her or his community. (World Health Organization)

1.1 At our school, we aim to promote positive mental health for our student body. We pursue this aim using both universal, whole school approaches and specialised, targeted approaches aimed at vulnerable students.

1.2 In addition to promoting positive mental health, we aim to recognise and respond to mental ill health. In an average classroom, three children will be suffering from a diagnosable mental health issue. By developing and implementing practical, relevant and effective mental health procedures we can promote a safe and stable environment for students affected both directly, and indirectly by mental ill health.

1.3 This guidance should be read in conjunction with the policies below.

- WMAT Child Protection and Safeguarding Policy
- WMAT Online Safety Policy
- Bedminster Down School Attendance Policy
- Bedminster School Behaviour Policy
- Bedminster Down School Anti-bullying Policy

2. The Guidance Aims to:

- Promote positive mental health in all students
- Increase understanding and awareness of common mental health issues
- Alert staff to early warning signs of mental ill health
- Provide support to staff working with young people with mental health issues
- Provide support to students suffering mental ill health and their peers and parents/carers

3. Lead Members of Staff

Whilst all staff have a responsibility to promote the mental health of students. Staff with a specific, relevant remit include:

- Dan Goater – Designated Safeguarding Lead
- Ben Wills –Deputy Designated Safeguarding Lead
- Dan Goater – Mental Health Lead (SLT)
- Kate Luke - SENCO
- Head of PSHE

- 4 x Heads of House

The names of members of staff undertaking these roles can be found on the school website or in the staff diary.

4. Guidance for all staff at Bedminster Down School - Reporting a Concern

Key points to remember for reporting a concern are:

- 4.1 Any member of staff who is concerned about the mental health or wellbeing of a student should follow the normal child protection by immediately completing a referral using CPOMS
- 4.2 If the student presents a medical emergency then the normal procedures for medical emergencies be followed, including alerting the first aid staff

5. Teaching about Mental Health

- 5.1 The skills, knowledge and understanding needed by our students to keep themselves and others physically and mentally healthy and safe are included as part of our developmental PSHE curriculum.
- 5.2 The specific content of lessons will be determined by the specific needs of the cohort we're teaching but there will always be an emphasis on enabling students to develop the skills, knowledge, understanding, language and confidence to seek help, as needed, for themselves or others.
- 5.3 We will follow the PSHE Association Guidance to ensure that we teach mental health and emotional wellbeing issues in a safe and sensitive manner which helps rather than harms.

6. Signposting

- 6.1 We will ensure that staff, students and parents are aware of sources of support within school and in the local community. What support is available within our school and local community, who it is aimed at and how to access it is outlined in Appendix C.
- 6.2 We will display relevant sources of support in communal areas and will regularly highlight sources of support to students within relevant parts of the curriculum. Whenever we highlight sources of support, we will increase the chance of student help-seeking by ensuring students understand:
 - What help is available
 - Who it is aimed at
 - How to access it
 - Why to access it
 - What is likely to happen next

7. Warning Signs

7.1 School staff may become aware of warning signs which indicate a student is experiencing mental health or emotional wellbeing issues. These warning signs should **always** be taken seriously and staff observing any of these warning signs should communicate their concerns with the Designated Safeguarding Lead using the procedures outlined in the section Guidance for all staff at Wellsway School – Reporting a Concern.

7.2 Possible warning signs include:

- Physical signs of harm that are repeated or appear non-accidental
- Changes in eating / sleeping habits
- Increased isolation from friends or family, becoming socially withdrawn
- Changes in activity and mood
- Lowering of academic achievement
- Talking or joking about self-harm or suicide
- Abusing drugs or alcohol
- Expressing feelings of failure, uselessness or loss of hope
- Changes in clothing – e.g. long sleeves in warm weather
- Secretive behaviour
- Skipping PE or getting changed secretly
- Lateness to or absence from school
- Repeated physical pain or nausea with no evident cause
- An increase in lateness or absenteeism

8. Managing disclosures

A student may choose to disclose concerns about themselves or a friend to any member of staff so all staff need to know how to respond appropriately to a disclosure. All staff should follow the procedures outlined in Bedminster Down Child Protection and Safeguarding Policy. The Designated Safeguarding Lead will ensure the assessment outlined in Appendix G is undertaken to identify what the next action should be to support the student.

9. How can the school support parents/carers when a concern is raised?

9.1 Parents/Carers can contact any of the lead staff for mental health identified in this guidance to discuss concerns about their child's mental health.

9.2 It can be shocking and upsetting for parents to learn of their child's issues and many may respond with anger, fear or upset during the first conversation. We should be accepting of this (within reason) and give the parent/carer time to reflect.

9.3 We should always highlight further sources of information and give them leaflets to take away where possible as they will often find it hard to take much in whilst coming to terms

with the news that you're sharing. Sharing sources of further support aimed specifically at parents can also be helpful too e.g. parent helplines and forums.

- 9.4 We should always provide clear means of contacting us with further questions and consider booking in a follow up meeting or phone call right away as parents often have many questions as they process the information. Finish each meeting with agreed next step and always keep a brief record of the meeting on the child's confidential record.

10. How can the school raise awareness of mental health and wellbeing to parents and carers?

Parents/carers are often very welcoming of support and information from the school about supporting their children's emotional and mental health. In order to support parents/carers we will:

- Highlight sources of information and support about common mental health issues in this guidance
- Make our mental health guidance easily accessible to parents/carers
- Ensure that all parents are aware of who to talk to, and how to get about this, if they have concerns about their own child or a friend of their child
- Share ideas about how parents can support positive mental health in their children through our parent/carers information evenings
- Keep parents informed about the mental health topics their children are learning about in PSHE and share ideas for extending and exploring this learning at home

11. Supporting Peers

11.1 When a student is suffering from mental health issues, it can be a difficult time for their friends. Friends often want to support but do not know how. In the case of self-harm or eating disorders, it is possible that friends may learn unhealthy coping mechanisms from each other. In order to keep peers safe, we will consider on a case by case basis which friends may need additional support. Support will be provided either in one to one or group settings and will be guided by conversations by the student who is suffering and their parents with whom we will discuss:

- What it is helpful for friends to know and what they should not be told
- How friends can best support
- Things friends should avoid doing / saying which may inadvertently cause upset
- Warning signs that their friend help (e.g. signs of relapse).

11.2 Additionally, we will want to highlight with peers:

- Where and how to access support for themselves
- Safe sources of further information about their friend's condition
- Healthy ways of coping with the difficult emotions they may be feeling

12. Training

- 12.1 As a minimum, all staff will receive regular training about recognising and responding to mental health issues as part of their regular child protection training in order to enable them to keep students safe.
- 12.2 We will host relevant information in our safeguarding folder on the school desktop for staff who wish to learn more about mental health. The MindEd learning portal <https://www.minded.org.uk/> provides free online training suitable for staff wishing to know more about a specific issue.
- 12.3 Training opportunities for staff who require more in depth knowledge will be considered as part of our performance management process and additional CPD will be supported throughout the year where it becomes appropriate due developing situations with one or more students.
- 12.4 Suggestions for individual, group or whole school CPD should be discussed with Dan Goater (Mental Health Lead) who can also highlight sources of relevant training and support for individuals as needed.

Appendix A: Further information and sources of support about common mental health issues

1. Prevalence of Mental Health and Emotional Wellbeing Issues

- 1 in 10 children and young people aged 5 - 16 suffer from a diagnosable mental health disorder - that is around three children in every class.
- Between 1 in every 12 and 1 in 15 children and young people deliberately self-harm.
- There has been a big increase in the number of young people being admitted to hospital because of self-harm. Over the last ten years this figure has increased by 68%.
- More than half of all adults with mental health problems were diagnosed in childhood. Less than half were treated appropriately at the time.
- Nearly 80,000 children and young people suffer from severe depression.
- The number of young people aged 15-16 with depression nearly doubled between the 1980s and the 2000s.
- Over 8,000 children aged under 10 years old suffer from severe depression.
- 3.3% or about 290,000 children and young people have an anxiety disorder.
- 72% of children in care have behavioural or emotional problems - these are some of the most vulnerable people in our society.

(Knightsmith, 2019)

1.1 Below, we have sign-posted information and guidance about the issues most commonly seen in school-aged children. The links will take you through to the most relevant page of the listed website. Some pages are aimed primarily at parents but they are listed here because we think they are useful for school staff too.

1.2 Support on all of these issues can be accessed via Young Minds (www.youngminds.org.uk), Mind (www.mind.org.uk) and (for e-learning opportunities) Minded (www.minded.org.uk).

2.

2.1 Online support

SelfHarm.co.uk: www.selfharm.co.uk

National Self-Harm Network: www.nshn.co.uk

2.2 Books

Pooky Knightsmith (2015) *Self-Harm and Eating Disorders in Schools: A Guide to Whole School Support and Practical Strategies*. London: Jessica Kingsley Publishers

Keith Hawton and Karen Rodham (2006) *By Their Own Young Hand: Deliberate Self-harm and Suicidal Ideas in Adolescents*. London: Jessica Kingsley Publishers

Carol Fitzpatrick (2012) *A Short Introduction to Understanding and Supporting Children and Young People Who Self-Harm*. London: Jessica Kingsley Publishers

3. Depression

Ups and downs are a normal part of life for all of us, but for someone who is suffering from depression these ups and downs may be more extreme. Feelings of failure, hopelessness, numbness or sadness may invade their day-to-day life over an extended period of weeks or months, and have a significant impact on their behaviour and ability and motivation to engage in day-to-day activities.

3.1 Online support

Depression Alliance: <https://www.depressionalliance.org/cbd-oil/>

3.2 Books

Christopher Dowrick and Susan Martin (2015) *Can I Tell you about Depression?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

4. Anxiety, panic attacks and phobias

Anxiety can take many forms in children and young people, and it is something that each of us experiences at low levels as part of normal life. When thoughts of anxiety, fear or panic are repeatedly present over several weeks or months and/or they are beginning to impact on a young person's ability to access or enjoy day-to-day life, intervention is needed.

4.1 Online support

Anxiety UK: <https://www.anxietyuk.org.uk>

4.2 Books

Lucy Willetts and Polly Waite (2014) *Can I Tell you about Anxiety?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

Carol Fitzpatrick (2015) *A Short Introduction to Helping Young People Manage Anxiety*. London: Jessica Kingsley Publishers

5. Obsessions and compulsions

Obsessions describe intrusive thoughts or feelings that enter our minds which are disturbing or upsetting; compulsions are the behaviours we carry out in order to manage those thoughts or feelings. For example, a young person may be constantly worried that their house will burn down if they don't turn off all switches before leaving the house. They may respond to these thoughts by repeatedly checking switches, perhaps returning home several times to do so. Obsessive compulsive disorder (OCD) can take many forms – it is not just about cleaning and checking.

5.1 Online support

OCD UK: <http://www.ocduk.org/ocd/>

5.2 Books

Amita Jassi and Sarah Hull (2013) *Can I Tell you about OCD?: A guide for friends, family and professionals*. London: Jessica Kingsley Publishers

Susan Connors (2011) *The Tourette Syndrome & OCD Checklist: A practical reference for parents and teachers*. San Francisco: Jossey-Bass

6. Suicidal feelings

Young people may experience complicated thoughts and feelings about wanting to end their own lives. Some young people never act on these feelings though they may openly discuss and explore them, while other young people do act and end their own life.

6.1 Online support

Prevention of young suicide UK – PAPYRUS: <https://papyrus-uk.org/>

On the edge: ChildLine spotlight report on suicide:

www.nspcc.org.uk/preventingabuse/research-and-resources/on-the-edge-childline-spotlight/

6.2 Books

Keith Hawton and Karen Rodham (2006) *By Their Own Young Hand: Deliberate Self-harm and Suicidal Ideas in Adolescents*. London: Jessica Kingsley Publishers

Terri A.Erbacher, Jonathan B. Singer and Scott Poland (2015) *Suicide in Schools: A Practitioner's Guide to Multi-level Prevention, Assessment, Intervention, and Postvention*. New York: Routledge

7. Eating disorders

Food, weight and shape may be used as a way of coping with, or communicating about, difficult thoughts, feelings and behaviours that a young person experiences day to day. Some young people develop eating disorders such as anorexia (where food intake is restricted), binge eating disorder and bulimia nervosa (a cycle of bingeing and purging). Other young people, particularly those of primary or preschool age, may develop problematic behaviours around food including refusing to eat in certain situations or with certain people. This can be a way of communicating messages the child does not have the words to convey.

7.1 Online support

Beat – the eating disorders charity: www.b-eat.co.uk/about-eating-disorders

Eating Difficulties in Younger Children and when to worry: www.inourhands.com/eatingdifficulties-in-younger-children

7.2 Books

Bryan Lask and Lucy Watson (2014) *Can I tell you about Eating Disorders?: A Guide for Friends, Family and Professionals*. London: Jessica Kingsley Publishers

Pooky Knightsmith (2015) *Self-Harm and Eating Disorders in Schools: A Guide to Whole School Support and Practical Strategies*. London: Jessica Kingsley Publishers

Pooky Knightsmith (2012) *Eating Disorders Pocketbook*. Teachers' Pocketbooks

Appendix B: Guidance and advice documents

Mental health and behaviour in schools - departmental advice for school staff. Department for Education (2014)

Counselling in schools: a blueprint for the future - departmental advice for school staff and counsellors. Department for Education (2015)

Teacher Guidance: Preparing to teach about mental health and emotional wellbeing (2015). PSHE Association. Funded by the Department for Education (2015)

Keeping children safe in education - statutory guidance for schools and colleges. Department for Education (2014)

Supporting pupils at school with medical conditions - statutory guidance for governing bodies of maintained schools and proprietors of academies in England. Department for Education (2014)

Healthy child programme from 5 to 19 years old is a recommended framework of universal and progressive services for children and young people to promote optimal health and wellbeing. Department of Health (2009)


Future in mind – promoting, protecting and improving our children and young people’s mental health and wellbeing - a report produced by the Children and Young People’s Mental Health and Wellbeing Taskforce to examine how to improve mental health services for children and young people. Department of Health (2015)

NICE guidance on social and emotional wellbeing in secondary education

What works in promoting social and emotional wellbeing and responding to mental health problems in schools? Advice for schools and framework document written by Professor Katherine Weare. National Children’s Bureau (2015)

Appendix C: Sources or support at school and in the local community

The diagram below details the different levels of support available for student at Wellsway School.



Initial School Based SEMH Support

What it is	Who it is suitable for	How it is accessed
School nurses provide health related support, advice and treatment to school age children and their families in a variety of settings.	All students	To contact your school nurse: Attend a drop in clinic on Tuesday lunchtimes in Student Support Speak a member of the House team Telephone 0300 125 6277 or 07500606252 Email: simona.palmer@nhs.net
1:1 support from a Learning Mentor.	All students	Speak to your tutor or a Learning Mentor. Learning Mentors are based in Student Support and can be accessed at break and lunchtimes

School Based SEMH Support

What it is	Who it is suitable for	How it is accessed
Off the Record provide a 1:1 listening support for students	All students	Speak to a House team
School Counsellor provides 1:1 counselling for students	All students	Speak to a House team

External SEMH Support

What it is	Who it is suitable for	How it is accessed
Kooth provide free online emotional and mental health support to young people	All students	www.kooth.com
B&NES CAMHS provide specialist support for mental health	All students	https://www.oxfordhealth.nhs.uk/childrenand-young-people/

Off the Record provide a range of free services including counselling, listening support, youth participation, advocacy and specialist groups, support for care leavers and a LGBT+ focused youth group	All students	http://www.offtherecord-banes.co.uk/ Tel: 08088089120 Email: OTRsupport@offtherecord-bristol.co.uk
---	--------------	--

Appendix D: Talking to students when they make mental health disclosures

The advice below is from students themselves, in their own words, together with some additional ideas to help you in initial conversations with students when they disclose mental health concerns. This advice should be considered alongside relevant school policies on pastoral care and child protection and discussed with relevant colleagues as appropriate.

1. Focus on listening

“She listened, and I mean REALLY listened. She didn’t interrupt me or ask me to explain myself or anything, she just let me talk and talk and talk. I had been unsure about talking to anyone but I knew quite quickly that I’d chosen the right person to talk to and that it would be a turning point.”

If a student has come to you, it’s because they trust you and feel a need to share their difficulties with someone. Let them talk. Ask occasional open questions if you need to in order to encourage them to keep exploring their feelings and opening up to you. Just letting them pour out what they’re thinking will make a huge difference and marks a huge first step in recovery. Up until now they may not have admitted even to themselves that there is a problem.

2. Don’t talk too much

“Sometimes it’s hard to explain what’s going on in my head – it doesn’t make a lot of sense and I’ve kind of gotten used to keeping myself to myself. But just ‘cos I’m struggling to find the right words doesn’t mean you should help me. Just keep quiet, I’ll get there in the end.”

The student should be talking at least three quarters of the time. If that’s not the case then you need to redress the balance. You are here to listen, not to talk. Sometimes the conversation may lapse into silence. Try not to give in to the urge to fill the gap, but rather wait until the student does so. This can often lead to them exploring their feelings more deeply. Of course, you should interject occasionally, perhaps with questions to the student to explore certain topics they’ve touched on more deeply, or to show that you understand and are supportive. Don’t feel an urge to overanalyse the situation or try to offer answers. This all comes later. For now your role is simply one of supportive listener. So make sure you’re listening!

3. Don’t pretend to understand

“I think that all teachers got taught on some course somewhere to say ‘I understand how that must feel’ the moment you open up. YOU DON’T – don’t even pretend to, it’s not helpful, it’s insulting.”

The concept of a mental health difficulty such as an eating disorder or obsessive compulsive disorder (OCD) can seem completely alien if you’ve never experienced these difficulties first hand. You may find yourself wondering why on earth someone would do these things to themselves, but don’t explore those feelings with the sufferer. Instead listen hard to what they’re saying and encourage them to talk and you’ll slowly start to understand what steps they might be ready to take in order to start making some changes.

4. Don't be afraid to make eye contact

"She was so disgusted by what I told her that she couldn't bear to look at me."

It's important to try to maintain a natural level of eye contact (even if you have to think very hard about doing so and it doesn't feel natural to you at all). If you make too much eye contact, the student may interpret this as you staring at them. They may think that you are horrified about what they are saying or think they are a 'freak'. On the other hand, if you don't make eye contact at all then a student may interpret this as you being disgusted by them – to the extent that you can't bring yourself to look at them. Making an effort to maintain natural eye contact will convey a very positive message to the student.

5. Offer support

"I was worried how she'd react, but my Mum just listened then said 'How can I support you?' – no one had asked me that before and it made me realise that she cared. Between us we thought of some really practical things she could do to help me stop self-harming."

Never leave this kind of conversation without agreeing next steps. These will be informed by your conversations with appropriate colleagues and the schools' policies on such issues. Whatever happens, you should have some form of next steps to carry out after the conversation because this will help the student to realise that you're working with them to move things forward.

6. Acknowledge how hard it is to discuss these issues

"Talking about my bingeing for the first time was the hardest thing I ever did. When I was done talking, my teacher looked me in the eye and said 'That must have been really tough' – he was right, it was, but it meant so much that he realised what a big deal it was for me."

It can take a young person weeks or even months to admit they have a problem to themselves, let alone share that with anyone else. If a student chooses to confide in you, you should feel proud and privileged that they have such a high level of trust in you. Acknowledging both how brave they have been, and how glad you are they chose to speak to you, conveys positive messages of support to the student.

7. Don't assume that an apparently negative response is actually a negative response

"The anorexic voice in my head was telling me to push help away so I was saying no. But there was a tiny part of me that wanted to get better. I just couldn't say it out loud or else I'd have to punish myself."

Despite the fact that a student has confided in you, and may even have expressed a desire to get on top of their illness, that doesn't mean they'll readily accept help. The illness may ensure they resist any form of help for as long as they possibly can. Don't be offended or upset if your offers of help are met with anger, indifference or insolence, it's the illness talking, not the student.

8. Build trust

“Whatever you say you’ll do you have to do or else the trust we’ve built in you will be smashed to smithereens. And never lie. Just be honest. If you’re going to tell someone just be upfront about it, we can handle that, what we can’t handle is having our trust broken.”

Above all else, a student wants to know they can trust you. That means if they want you to keep their issues confidential and you can’t then you must be honest. Explain that, whilst you can’t keep it a secret, you can ensure that it is handled within the school’s policy of confidentiality and that only those who need to know about it in order to help will know about the situation. You can also be honest about the fact you don’t have all the answers or aren’t exactly sure what will happen next. Consider yourself the student’s ally rather than their saviour and think about which next steps you can take together, always ensuring you follow relevant policies and consult appropriate colleagues.

Appendix E: What makes a good CAMHS referral?¹

1. If the referral is urgent it should be initiated by phone so that CAMHS can advise of best next steps
2. Before making the referral, have a clear outcome in mind, what do you want CAMHS to do? You might be looking for advice, strategies, support or a diagnosis for instance.
3. You must also be able to provide evidence to CAMHS about what intervention and support has been offered to the student by the school and the impact of this. CAMHS will always ask 'What have you tried?' so be prepared to supply relevant evidence, reports and records.

General considerations

- Have you met with the parent(s)/carer(s) and the referred child/children?
- Has the referral to CMHS been discussed with a parent / carer and the referred student?
- Has the student given consent for the referral?
- Has a parent / carer given consent for the referral?
- What are the parent/carers' attitudes to the referral?

Basic information

- Is there a child protection plan in place?
- Is the child looked after?
- name and date of birth of referred child/children
- address and telephone number
- who has parental responsibility?
- surnames if different to child's
- GP details
- What is the ethnicity of the student / family.
- Will an interpreter be needed?
- Are there other agencies involved?

Reason for referral

- What are the specific difficulties that you want CAMHS to address?
- How long has this been a problem and why is the family seeking help now?
- Is the problem situation-specific or more generalised?
- Your understanding of the problem/issues involved.

Further helpful information

- Who else is living at home and details of separated parents if appropriate?
- Name of school
- Who else has been or is professionally involved and in what capacity?
- Has there been any previous contact with our department?
- Has there been any previous contact with social services?
- Details of any known protective factors
- Any relevant history i.e. family, life events and/or developmental factors Are there any recent changes in the student's or family's life?
- Are there any known risks, to self, to others or to professionals?

- Is there a history of developmental delay e.g. speech and language delay
- Are there any symptoms of ADHD/ASD and if so have you talked to the Educational psychologist?

The screening tool on the following page will help to guide whether or not a CAMHS referral is appropriate.

For further support and advice, our primary contacts are:

CAMHS 0300 303 1320

